




Anti-PA Mab 3F3 (plate 1)



Anti-PA Mab 14B7(plate 1)






Mouse IgG 1(plate 1)



Mab 3F3 with controls




Figure 1 (A)

5



Mab 6C3 with controls

Figure 1(B)



Mab 2F9 with controls

Figure 1 (C)

FIGURE 2(A): Enhancement




Figure 2 (B): Protection

% Protection with 3F3 HP under different conditions




Figure 3 (A): Enhancement




Figure 3 (B): Protection

% Protection with H4-19E9 HP under different conditions




Figure 4 (A): Enhancement




Figure 4 (B): Protection




Figure 4 (C): Enhancement




Figure 4 (D): Protection




FIGURE 5





FIGURE 6



concentration of Mab H25 F (µg/ml)

	$y = \frac{A-D}{1+(x/C)^B} + D$	A	B	C	D	R ²
○ Plot#1 (Mab H25 and rPA+LF: Concentration vs % ...)		52.807	2.427	0.018	98.088	-0.992
□ Plot#2 (Mab H25 and L685A+LF: Concentration vs % ...)		35.75	1.402	0.032	28.768	0.714
△ Plot#3 (Mab H25 and K684A+LF: Concentration vs % ...)		34.578	2.339	0.059	38.447	-0.758

FIGURE 7

